

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|----------------------|-----------------------------------|----------------------|---------------------|------------------|
| 10/698,519 | 11/03/2003 | Minoru Chida | 244606US0 | 1401 |
| | 7590 01/03/200 AK, MCCLELLAND, | EXAMINER | | |
| 1940 DUKE ST | REET | KRUER, KEVIN R | | |
| ALEXANDRIA, VA 22314 | | | ART UNIT | PAPER NUMBER |
| | | | 1773 | |
| | | | | |
| SHORTENED STATUTORY | Y PERIOD OF RESPONSE | MAIL DATE | DELIVERY MODE | |
| 3 MON | NTHS | 01/03/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

| / | 7 |
|----|---|
| L. | |

| | Application No. | Applicant(s) | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| | 10/698,519 | CHIDA ET AL. | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | Kevin R. Kruer | 1773 | | | | |
| The MAILING DATE of this communication Period for Reply | appears on the cover sheet with | n the correspondence address | | | | |
| A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b). | N. R 1.136(a). In no event, however, may a represent the statutory minimum of thirty find will apply and will expire SIX (6) MONT atute, cause the application to become ABA | oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133). | | | | |
| Status | | | | | | |
| 1) Responsive to communication(s) filed on 10 | October 2006. | | | | | |
| 2a) ☐ This action is FINAL . 2b) ☑ T | ☐ This action is FINAL . 2b) ☑ This action is non-final. | | | | | |
| | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | | | | | | |
| 4) ⊠ Claim(s) 1-7,9 and 10 is/are pending in the 4a) Of the above claim(s) is/are without 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-7,9 and 10 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and | drawn from consideration. | | | | | |
| Application Papers | | | | | | |
| 9)☐ The specification is objected to by the Exam | iner. | | | | | |
| 10)☐ The drawing(s) filed on is/are: a)☐ a | accepted or b) objected to by | y the Examiner. | | | | |
| Applicant may not request that any objection to t | - · · | • • | | | | |
| Replacement drawing sheet(s) including the cord 11) The oath or declaration is objected to by the | | | | | | |
| Priority under 35 U.S.C. § 119 | | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| Attachment(s) | | | | | | |
| 1) Notice of References Cited (PTO-892) | | mmary (PTO-413) | | | | |
| Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date 10/16/06; 9/20/06. | | /Mail Date ormal Patent Application (PTO-152) - | | | | |

Application/Control Number: 10/698,519 Page 2

Art Unit: 1773

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

2. Claims 1-6 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Odashima et al (US 6,040,054) in view of Applicant's admissions, JP 11310757A (herein referred to as Nippon), and JP05286072A (Mitsui).

Odashima teaches a chromium-free composition for treating metal surfaces comprising the following: (a) a hydroxyl group-containing organic resin, (b) a phosphoric acid, (c) ions of at least one metal selected from the group consisting of Cu, Co, Fe, Mn, Sn, V, Mg, Ba, Al, Ca, Sr, Nb, Y, and Zn, and (d) at least one of colloids or powders of SiO₂ (abstract). Said composition is applied to a cold-rolled steel sheet (col 1, lines 59+) in amounts of 0.2-2.0g/m² (col 13, lines 23+). The silica has a particle size of 1-12nm and is included in amounts of 3-30 pbw (col 11, lines 18+). Components (a) and (c) are herein understood to be a polymer resin molecular-associated by ion cluster. The composition may further comprise a crosslinking agent (col 8, lines 66+), which is herein understood to read on the claimed first and second "crosslinking agent." It would have been obvious to optimize the amount of said crosslinking agent added to the composition in order to obtain the desired crosslink density.

Art Unit: 1773

Said preamble limitation "superior in weldability and corrosion resistance" is herein understood to state latent properties of the claimed laminate and does not further limit the claimed invention.

The film is applied to the metal substrate by applying an aqueous coating of said resin composition to the steel sheet and heating to dry (col 11, lines 55+). Furthermore, the film may be roll coated (col 11, line 62). In such a process, the film is understood to inherently be subjected to the claimed elongation percentage of claim 6.

Odashima does not teach that the steel should be galvanized. However, Applicant admits that steel sheets are in many cases hot dip galvanized at their surfaces in order to ensure corrosion resistance (bottom of page 1 of the specification). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to hot dip galvanize the steel substrate of Odashima. The motivation for doing so would have been to improve the corrosion resistance of the laminate.

Odashima also does not teach that the resinous coating should comprise ammonium vanadate. However, Nippon teaches that 0.1-10wt% ammonium vanadate may be added to corrosion resistant resin coatings that are to applied to steel sheets in order to increase the anticorrosive properties of the coating (abstract). Therefore, it would have been obvious to one of ordinary skill in the art to add 0.1-10wt% ammonium vanadate to the resin coating taught in Odashima. The motivation for doing so would have been to increase the anticorrosive properties of the coating.

Odashima also does not teach that the hydroxyl group containing organic resin should comprise an ionomer. However, Mitsui teaches ionomers may be utilized in

corrosion resistant coatings for metal substrates (abstract). Said polymer has excellent coating adhesion, and corrosion resistance (abstract). The ionomer comprises 60-95wt% ethylene (0017) with the remainder of the copolymer comprising unsaturated carboxylic acid (0017). The composition should further comprise 0.5-10wt% epoxy which acts as a crosslinking agent for the ionomer (0036). Said crosslinking agent is herein understood to read on the first and second crosslinking agents of the claimed invention. Thus, it would have been obvious to utilize the ionomer/epoxy resin taught in Mitsui as the component (a) taught in Odashima. The motivation for doing so would have been because said resin has excellent coating adhesion and corrosion resistance.

3. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Odashima et al (US 6,040,054) in view of Applicant's admissions, JP11310757 (herein referred to as Nippon) and JP05286072A (Mitsui), as applied to claims 1-6 and 9 above, and further in view of Shimizu et al (US 5,950,468).

Odashima is relied upon as above, but does not teach that the surface of the steel sheet should have a center line average roughness of 0.1-2um. However, Shimizu teaches that the roughness of metal substrates should be controlled in order to increase the adhesion between said sheet and a resinous coating (col 9, lines 1+). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to optimize the surface roughness of the steel sheet taught in Odashima. The motivation for doing so would have been to control the adhesion between the metal

4. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Odashima et al (US 6,040,054) in view of Applicant's admissions and JP11310757A

Art Unit: 1773

(herein referred to as Nippon) and JP05286072A (Mitsui), as applied to claims 1-6 and 9 above, and further in view of Dalton (US 6,015,855).

Odashima in view of Applicant's admissions and Nippon is relied upon as above, but none of the references teach the acrylic acid should be neutralized with an amine. However, Dalton teaches it is known in the art to neutralize acrylics with amines in order to make them water reducible (col 4, lines 55+). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to neutralize the ionomer taught by Odashima in view of Morishita. The motivation for doing so would have been to make the ionomer water reducible.

Response to Arguments

Applicant's arguments with respect to the pending claims have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin R. Kruer whose telephone number is 571-272-1510. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carol Chaney can be reached on 571-272-1284. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/698,519

Art Unit: 1773

Page 6

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kevin R. Kruer

11-R11-

Patent Examiner-Art Unit 1773